L Number	Hits	Search Text	DB	Time stamp
-	2	"20030014554"	USPAT;	2004/07/07 10:15
			US-PGPUB;	
			EPO;	
			DERWENT;	•
			IBM_TDB	
_	0	(2003/0037181).CCLS.	USPAT;	2004/06/28 12:38
		(	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM TDB	
	0	2003/0037181	USPAT;	2004/06/28 12:39
-	U	2003/0037161		2004/00/26 12.39
			US-PGPUB;	
		·	EPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	"20030037181"	USPAT;	2004/06/28 12:39
			US-PGPUB;	
			EPO;	·
l			DERWENT;	
i			IBM_TDB	
_	286	java same jms	USPAT:	2004/06/28 16:45
		, ,	US-PGPUB:	
			EPO;	
			DERWENT;	
			IBM_TDB	
	11	java same jms	USPAT	2004/06/28 16:33
_	0	java same jms   java same jms same exten\$4	USPAT	
-	_			2004/06/28 16:45
-	21	java same jms same exten\$4	USPAT;	2004/06/28 16:34
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20030005117"	USPAT;	2004/06/28 16:39
			US-PGPUB;	
·			EPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20020010781"	USPAT;	2004/06/28 16:39
-			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
_	2	"20020174340"	USPAT;	2004/06/28 16:42
	_		US-PGPUB;	
			EPO;	
!			DERWENT;	
1			IBM_TDB	1
_ 1	12	iava same ims with provider		2004/06/20 46:40
-	12	java same jms with provider	USPAT;	2004/06/28 16:49
		•	US-PGPUB;	
l			EPO;	1
1			DERWENT;	1
İ	_		IBM_TDB	1
-	0	exten\$8 with message with provider same factory same	USPAT;	2004/06/28 16:49
l		namespace	US-PGPUB;	
Į			EPO;	
[			DERWENT,	
1			IBM_TDB	
-	0	exten\$8 with message with provider same factory	USPAT;	2004/06/28 16:50
ļ	-	<b>3</b>	US-PGPUB;	
ļ			EPO;	
				I
			DERWENT;	

-	0	exten\$8 with message with provider same java	USPAT; US-PGPUB;	2004/06/28 16:50
			EPO;	
ł			DERWENT;	
İ	_	extents with message with provider come context	IBM_TDB	2004/06/20 16:50
-	0	exten\$8 with message with provider same context	USPAT;	2004/06/28 16:50
			US-PGPUB;	
			EPO;	
			DERWENT;	
	72	exten®9 with massage with provider	IBM_TDB	2004/06/28 16:51
-	72	exten\$8 with message with provider	USPAT; US-PGPUB;	2004/00/26 10.51
			EPO;	
			DERWENT;	
			IBM_TDB	•
	. 2	exten\$8 same message same provider same factory	USPAT;	2004/06/28 16:51
-	_	extense same message same provider same factory	US-PGPUB;	2004/00/20 10.51
			EPO;	
			DERWENT:	
			IBM TDB	
1_	0	exten\$8 same message same provider same namespace	USPAT;	2004/06/28 16:52
}		- 5.15.150 Same message same provider same namespace	US-PGPUB;	200 1100120 10.02
]			EPO;	
			DERWENT;	
			IBM_TDB	
-	3	exten\$8 same messag\$3 same provider same factory	USPAT;	2004/06/28 16:52
			US-PGPUB;	
			EPO;	
			DERWENT;	
]			IBM_TDB	
-	1	exten\$8 same messag\$3 same provider same namespace	USPAT;	2004/06/28 16:53
	·	gva sama masagua sama pra masa sama mamaapasa	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
	27	exten\$8 same messag\$3 same provider same context	USPAT;	2004/06/28 16:53
			US-PGPUB;	
			EPO:	
!			DERWENT;	
			IBM_TDB	
-	1125	messag\$3 with service with exten\$8	USPAT;	2004/06/29 09:37
			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	2	messag\$3 with service with exten\$8 same factory	USPAT;	2004/06/29 09:41
]			US-PGPUB;	
] ]			EPO;	
1			DERWENT;	_
	_	////000000 4/1\	IBM_TDB	
-	6	(("6003094") or ("6167432") or ("5265206")).PN.	USPAT;	2004/06/29 09:52
			US-PGPUB;	
			EPO;	
			DERWENT;	
	ا ۾	(IICADO 440II) DNI	IBM_TDB	0004/00/00 15 55
-	2	("6192419").PN.	USPAT;	2004/06/29 10:26
			US-PGPUB;	
			EPO;	
1			DERWENT;	
_	126	remote with (procedure or method) with (call or invecetion)	IBM_TDB	2004/06/20 40:20
-	120	remote with (procedure or method) with (call or invocation) with session	USPAT;	2004/06/29 10:26
		WILL SESSION	US-PGPUB;	l
			EPO; DERWENT;	
			IBM_TDB	
			ם חו דואומו	

-	. 25	remote with (procedure or method) with (call or invocation) with session same message	USPAT; US-PGPUB;	2004/06/29 10:32
			EPO;	
	1		DERWENT;	
			IBM_TDB	
-	43	((remote with (procedure or method) with (call or invocation))	USPAT;	2004/06/29 10:33
		or rpc or rmi) with session same message	US-PGPUB;	
	1		EPO; DERWENT;	
			IBM_TDB	
l <sub>-</sub> .	27	(rpc or rmi) with session same message	USPAT;	2004/06/29 10:38
		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	8173	message with session	USPAT;	2004/06/29 10:38
			US-PGPUB;	
			EPO;	
			DERWENT; IBM TDB	
_	441	message with session with remote	USPAT;	2004/06/29 10:38
-	""	mossage with session with remote	US-PGPUB;	2004/00/23 10:00
			EPO;	
			DERWENT;	
			IBM_TDB	
- *	58	message with session with remote with (method or function)	USPAT;	2004/06/29 10:46
			US-PGPUB;	
			EPO;	
			DERWENT;	
l_	43	rmi with session	IBM_TDB USPAT;	2004/06/29 10:46
-	75	Titli With Session	US-PGPUB;	2004/00/29 10.40
			EPO;	
			DERWENT;	
			IBM_TDB	
-	109	(thread or task or process) with schedul\$3 with percent\$4	USPAT;	2004/06/29 14:09
			US-PGPUB;	
			EPO;	
			DERWENT;	
_	60	(thread or task or process) with schedul\$3 with percent\$4	IBM_TDB USPAT;	2004/06/29 14:09
		same (time or cost)	US-PGPUB;	200-100/20 14.09
			EPO;	
			DERWENT;	
			IBM_TDB	
-	60	(thread or task or process) with schedul\$3 with percent\$4	USPAT;	2004/06/29 14:34
		same (time or cost)	US-PGPUB;	
			EPO;	
			DERWENT;	
_	49	((thread or task or process) with schedul\$3 with percent\$4	IBM_TDB USPAT;	2004/06/29 14:10
	73	same (time or cost)) and @ay < "2002"	US-PGPUB;	2004/00/23 14.10
		( (	EPO;	
			DERWENT;	,
			IBM_TDB	
<b> </b> -	19	(thread or task or process) with schedul\$3 with percent\$4	USPAT;	2004/06/29 14:34
•		with (increas\$3 or increment\$6 or add\$4)	US-PGPUB;	
			EPO;	
	ļ		DERWENT;	
_	12	5619695.URPN.	IBM_TDB USPAT	2004/06/29 14:44
	· · · · · · · ·		30.70	2007/00/20 17.74

-	26	("4122523"   "4256925"   "4672536"   "4744026"   "4852001"   "4896369"   "4912656"   "5031089"   "5053970"   "5111391"   "5128860"   "5148370"   "5153877"   "5202993"   "5210872"   "5212791"   "5216427"   "5216593"   "5241465"   "5270920"   "5291397"   "5319781"   "5325525"   "5367687"   "5406476"   "5432887").PN.	USPAT	2004/06/29 14:54
-	26	("4122523"   "4256925"   "4672536"   "4744026"   "4852001"   "4896369"   "4912656"   "5031089"   "5053970"   "5111391"   "5128860"   "5148370"   "5153877"   "5202993"   "5210872"   "5212791"   "5216427"   "5216593"   "5241465"   "5270920"   "5291397"   "5319781"   "5325525"   "5367687"   "5406476"   "5432887").PN.	USPAT	2004/06/29 14:54
	29	multiple with jms	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/29 16:41
-	3	exten\$5 with mom same message	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/29 16:41
-	42	plug\$4 with (jms or (messag\$3 near service))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/30 10:41
-	14179	messag\$3 near (provider or service)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/30 11:44
-	12200	messag\$3 adj (provider or service)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/30 11:44
-	358	messag\$3 adj (provider or service) same java	USPAT; US-PGPUB; EPO; DERWENT; IBM TDB	2004/06/30 11:45
- :	2713	messag\$3 adj (provider or service) same server	USPAT; US-PGPUB; EPO; DERWENT;	2004/06/30 11:45
-	22	messag\$3 adj (provider or service) same server same (bind\$3 or bound)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/30 11:59
-	1 5	6442619.URPN. ("5095522"   "5590334"   "5678007"   "6018805"   "6345316").PN.	USPAT USPAT	2004/06/30 11:50 2004/06/30 11:50
-	2	messag\$3 adj (provider or service) same nam\$3 same connection same factory	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/30 12:01
-	1360	(719/313-316).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/06/30 12:01

Total	12:01 12:12
Control of the cont	12:12
The content of the	12:12
- 14 (messag\$3 adj (provider or service) same java) and ((719/313-316).CCLS.)  - 2 "20020010781"  - 2 "20020010781"  - 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same by USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	12:12
- 14 (messag\$3 adj (provider or service) same java) and ((719/313-316).CCLS.)  - 2 "20020010781"  - 2 "20020010781"  - 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same by USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	12:12
- 14 (messag\$3 adj (provider or service) same java) and ((719/313-316).CCLS.)  - 2 "20020010781"  - 2 "20020010781"  - 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	12:12
Continue	12:12
-   2   "20020010781"	
DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   USPAT;   US-PGPUB;   USPAT;   US-PGPUB;   US-PGPUB;   USPAT;   US-PGPUB;	
- 2 "20020010781"   IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; US-	
- 2 "20020010781"	
- 4 (multiple or plurality or many) adj (JMS)  - 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 0 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same  - 0 (plug\$4) with (messag\$3) same server same client same	
- 4 (multiple or plurality or many) adj (JMS)  - 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 0 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same bind\$3  - 0 (plug\$4) with (messag\$3) same server same client same bind\$3    EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWE	15:48
- 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 0 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same bind\$3  - 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	15:48
- 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 0 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same bind\$3    IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; USPAT; US-PGPUB;	15:48
- 4 (multiple or plurality or many) adj (JMS)  - 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;	15:48
- 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same	15.40
- 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same bind\$3    EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; EPO; EPO; EPO; EPO; EPO; EPO; EPO; EPO	
- 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 16 (plug\$4) with (JMS)  - 17 (plug\$4) with (JMS)  - 18 (plug\$4) with (JMS)  - 19 (plug\$4) with (messag\$3) same server same client same bind\$3  - 10 (plug\$4) with (messag\$3) same server same client same bind\$3	
- 0 (plug\$4) adj (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB US-PGPUB; EPO; DERWENT; IBM_TDB US-PGPUB; US	
- 0 (plug\$4) adj (JMS)  USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
- 15 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same US-PGPUB; EPO; DERWENT; IBM_TDB US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB;	45:40
- 15 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same bind\$3    EPO;   DERWENT;   IBM_TDB   US-PGPUB;   EPO;   DERWENT;   IBM_TDB   USPAT;   US-PGPUB;   U	15:48
- 15 (plug\$4) with (JMS)  - 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	
- 15 (plug\$4) with (JMS)  (plug\$4) with (JMS)  (plug\$4) with (Messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; US-PGPUB;	
- 15 (plug\$4) with (JMS)  - 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; US-PGPUB; DERWENT; US-PGPUB; DERWENT; US-PGPUB; US-PGPUB; DERWENT; US-PGPUB; DERWE	
- 0 (plug\$4) with (messag\$3) same server same client same US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
- 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB; 2004/07/06	16:14
- 0 (plug\$4) with (messag\$3) same server same client same USPAT; bind\$3 2004/07/06	
- 0 (plug\$4) with (messag\$3) same server same client same USPAT; US-PGPUB;	
- 0 (plug\$4) with (messag\$3) same server same client same USPAT; 2004/07/06 bind\$3	
bind\$3 US-PGPUB;	
	16:14
EPO;	-
DERWENT;	
IBM_TDB	
- 118 (plug\$4) with (messag\$3) same server same client USPAT; 2004/07/06	16:20
US-PGPUB;	
EPO;	
DERWENT;	
IBM_TDB	10.15
9 (plug\$4) with (messag\$3) same server same client and USPAT; 2004/07/06	10:15
bind\$3 US-PGPUB;	
EPO;	
DERWENT;	
IBM_TDB	10.15
- 10 ((plug\$4) with (messag\$3) same server same client).ab. USPAT; 2004/07/06	16:18
US-PGPUB;	
EPO;	
DERWENT;	
IBM_TDB	10.00
- 55 (plug\$4) with (messag\$3) same java USPAT; 2004/07/06	10:20
US-PGPUB;	
EPO;	
DERWENT;	
IBM_TDB	
- 11 (plug\$4) with (messag\$3) same java and factory USPAT; 2004/07/06	16:37
US-PGPUB;	
EPO;	
DERWENT;	
IBM_TDB	
- 369 messag\$3 adj serv\$4 with exten\$6 USPAT; 2004/07/06	
US-PGPUB;	
EPO;	
DERWENT;	
IBM_TDB	

•	43	messag\$3 adj serv\$4 with exten\$6 same client same server	USPAT;	2004/07/06 16:38
		,	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	37	messag\$3 adj serv\$4 with (exten\$6 or plug\$4) and	USPAT;	2004/07/06 17:39
		namespace	US-PGPUB;	
		, ,	EPO;	
	}		DERWENT;	
			IBM_TDB	· I
-	2	messag\$3 adj serv\$4 with (exten\$6 or plug\$4) and	USPAT;	2004/07/06 17:39
		namespace same bind\$3	US-PGPUB;	
		·	EPO:	
			DERWENT;	
			IBM_TDB	
_	3	messag\$3 adj serv\$4 with (exten\$6 or plug\$4) and	USPAT;	2004/07/06 17:40
		namespace same factory	US-PGPUB;	
		, ,	EPO;	1
			DERWENT;	
			IBM_TDB	,
-	3	("6314565").PN.	USPAT;	2004/07/07 15:38
			US-PGPUB	
			EPO:	
			DERWENT;	
			IBM TDB	
-	2	("6633923").PN.	USPAT;	2004/07/07 15:38
			US-PGPUB;	
	ļ		EPO;	
			DERWENT;	
			IBM TDB	
-	1	(("6633923").PN.) and plug\$4 same name	USPAT;	2004/07/07 15:42
			US-PGPUB,	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	1	(("6633923").PN.) and bind\$3 same factor\$4	USPAT;	2004/07/07 15:44
:			US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	
-	1	(("6633923").PN.) and bind\$3 with factor\$4	USPAT;	2004/07/07 16:17
		·	US-PGPUB;	
			EPO;	
			DERWENT;	
			IBM_TDB	